

Animal Husbandry – Drinking bowl

Item Nr. 200-101-100-001
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with powder coating (or spray painting).
 Includes stainless steel push paddle and exchangeable brass valve.
 1/2" top and bottom water inlets mounting with 4 screws weight 4kg



Item Nr. 200-101-100-002
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamelled.
 Includes stainless steel push paddle and exchangeable brass valve.
 1/2" top and bottom water inlets mounting with 4 screws weight 4kg



Item Nr. 200-101-100-003
Specification
 Casted drinking bowl with different nipple



Item Nr. 200-101-100-004
Specification
 Casted drinking bowl
 Casting iron, powder coated and paint



Item Nr. 200-101-100-005
Specification
 Casted drinking bowl
 Casting iron, powder coated and paint



Item Nr. 200-101-100-007
Specification
 Casted drinking bowl
 Made in aluminum weight:2KG



Item Nr. 200-101-100-008
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),without nipple



Item Nr. 200-101-100-009
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),without nipple



Item Nr. 200-101-100-010
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),without nipple



Item Nr. 200-101-100-011
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),without nipple



Item Nr. 200-101-100-012
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),without nipple



Item Nr. 200-101-100-013
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),with nipple



Item Nr. 200-101-100-014
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),with nipple



Item Nr. 200-101-100-015
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),with nipple



Item Nr. 200-101-100-016
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),with nipple



Item Nr. 200-101-100-017
Specification
 Casted drinking bowl
 Constructed of heavy duty cast iron with enamel coating (or spray painting),with nipple



Item Nr.
200-101-
100-018



Specification
Casted drinking bowl
Cast iron bowl with nipple/tongue
powder coated/enameled

Item Nr.
200-101-
100-019



Specification
Casted drinking bowl
Cast iron bowl with nipple/tongue
powder coated/enameled

Item Nr.
200-101-
100-020



Specification
Casted drinking bowl
Cast iron bowl with nipple/tongue
powder coated/enameled

Item Nr.
200-101-
100-021



Specification
Casted drinking bowl
Cast iron bowl with nipple/tongue
powder coated/enameled

Item Nr.
200-101-
100-022



Specification
Casted drinking bowl
Cast iron bowl with nipple/tongue
powder coated/enameled

Item Nr.
200-101-
100-023



Specification
Casted drinking bowl
Cast iron bowl with
nipple/stainless steel tongue
powder coated/enameled

Item Nr.
200-101-
100-024



Specification
Casted drinking bowl
Cast iron bowl with brass nipple
and ongue
powder coated/enameled

Item Nr.
200-101-
101-025



Specification
Casted drinking bowl

Item Nr.
200-101-
100-026



Specification
Casted drinking bowl

Item Nr.
200-101-
100-027



Specification
Casted drinking bowl

Item Nr.
200-101-100-
030



Specification
Casted drinking bowl
Constructed of cast iron with
enamelled.

Item Nr.
200-101-100-
031



Specification
Casted drinking bowl
Constructed of cast iron with
enamelled or stainless steel.

Item Nr.
200-101-100-
032



Specification
For water vehicles. With suitable
aluminum shell, even for animals
with a nose ring.

Item Nr.
200-101-100-
033



Specification
Weight about 2 liters, drinking
cup made of cast iron, high-
quality Pulvebeschichtung,
stainless float cover, to open by
falling blade, 1 / 2 ", with float
valve, water flow 6,5 l bar at 2-3,
green.

Item Nr.
200-101-
103-001



Specification
Sheet iron drinking bowl
Constructed of metal sheet, with
powder coating

Item Nr.
200-101-102-
013



Specification
Resistant
unbreakable - retracted edge to
water hammer
Water consumption: 20 l / min. at
5 bar
Smooth pipe valve with high / low
pressure
POINT R1 / 2 "from top / bottom
Mounting on pipes and walls

Item Nr. Specification

200-101-101-001



PVC drinking bowl
Constructed of PVC material

Item Nr. Specification

200-101-101-002



PVC drinking bowl
Constructed of heavy duty cast iron with enamel coating.
Includes plastic float valve .
1/2" both-side and bottom water inlets, mounting with 2 screws
weight 8kg

Item Nr. Specification

200-101-101-003



PVC drinking bowl
Constructed of PVC or Nylon with
1/2" nipple

Item Nr. Specification

200-101-101-004



PVC drinking bowl
Constructed of PVC or Nylon with
1/2" nipple

Item Nr. Specification

200-101-101-005



Plastic with brass water-regulating member sealed.
Complete with heating cables (230V/33W) and built-in thermostat for automatic control (5 degrees a / 15 degrees off).

Item Nr. Specification

200-101-101-006



1 / 2 "brass valve, high and low pressure to 6 bar
always fresh water to 8 liter / min.
robust and sensitive to freezing
Water supply either right / left
with 4-hole wall mount

Item Nr. Specification

200-103-100-001



Outside (mm) 31
Internal (mm) 25

Item Nr. Specification

200-103-100-002



Constructed of heavy duty cast iron with enamel coating.
Includes stainless steel push paddle and exchangeable brass valve .
1/2" top and bottom water inlets
mounting with 4 screws
weight 4.5kg

Animal Husbandry – SS drinking bowl & feeding through

Item Nr. Specification

200-101-102-001



Ref. Nr.43
4310 serie for nursery,
made in stainless steel
stainless steel bowl
without pipe

Item Nr. Specification

200-101-102-002



Ref. Nr.43-10W
4310 serie for nursery,
made in stainless steel
stainless steel bowl/pipe
without nipple

Item Nr. Specification

200-101-102-003



Ref. Nr.43-10WP
4310 serie for nursery,
made in stainless steel
stainless steel bowl/pipe
and nipple
(nipple made of stainless
iron)

Item Nr. Specification

200-101-102-004



Ref. Nr.543-20
4320 serie for weaner,
made in stainless steel
stainless steel bowl
without pipe

Item Nr. Specification

200-101-102-005



Ref. Nr.43-20W
4320 serie for weaner,
made in stainless steel
stainless steel bowl/pipe
without nipple

Item Nr. Specification

200-101-102-006



Ref. Nr.43-20WP
4320 serie for weaner,
made in stainless steel
stainless steelbowl/pipe
and nipple(nipple made
of stainless iron)

Item Nr. Specification

200-101-102-007



Ref. Nr.43-30
4330 serie for finisher,
made in stainless steel
stainless steel bowl
without pipe

Item Nr. Specification

200-101-102-008



Ref. Nr.43-30W
4330 serie for finisher,
made in stainless steel
stainless steel bowl/pipe
without nipple

Item Nr. Specification

200-101-102-009



Ref. Nr.43-30WP
4330 serie for finisher,
made in stainless steel
stainless steelbowl/pipe
and nipple(nipple made
of stainless iron)

Item Nr. Specification

200-101-102-010



Ref. Nr.47
47 serie for finisher,
made in stainless steel
stainless steel bowl
without pipe

Item Nr. Specification

200-101-102-011



Ref. Nr.47W
47 serie for finisher,
made in stainless steel
stainless steel bowl/pipe
without nipple

Item Nr. Specification

200-101-102-012



Ref. Nr.47WP
47 serie for finisher,
made in stainless steel
stainless steelbowl/pipe
and nipple(nipple made
of stainless iron)

Item Nr. Specification

200-104-100-001



Galvanized sheet steel
Approx. 65X43X22cm

Item Nr. Specification

200-104-100-002



Ref. Nr.3523
10" feeding through

Item Nr. Specification

200-104-100-003



Galvanized sheet steel
Approx. 65X43X22cm

Item Nr. Specification

200-104-100-004



Ref. Nr.3524
11" feeding through

Item Nr. **Specification**

200-104-100-005



Plastic, D37*H38 CM,
8.00KG

Item Nr. **Specification**

200-104-100-006



Plastic, D30*H29 CM,
5.00KG

Item Nr. **Specification**

200-104-100-007



Plastic, D27*H24 CM,
3.00KG

Item Nr. **Specification**

200-104-100-008



Plastic, D21*H22 CM,
1.50KG

Item Nr. **Specification**

200-104-100-009



Plastic, D33*H28.5 CM,
8.00L

Item Nr. **Specification**

200-104-100-010



Plastic, D23*H25 CM,
4.00L

Item Nr. **Specification**

200-104-100-011



Plastic, D15*H20.5 CM,
1.00L

Item Nr. **Specification**

200-104-100-012



Plastic, D19*H24 CM,
4.00L

Item Nr. **Specification**

200-104-100-013



Plastic, D15*H15.5 CM,
1.30L

Item Nr. **Specification**

200-104-100-014



Plastic, D11.5*H12 CM,
0.60L

Animal Husbandry – Drinking nipple

Item Nr. SA02-0106	Specification 0.135kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3508- 02-00	Item Nr. SA02-0107	Specification 0.06kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3515- 999	Item Nr. SA02-0108	Specification 0.09kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3518-03	Item Nr. SA02-0109	Specification 0.07kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3517-02	Item Nr. SA02-0110	Specification 1/2"Ext, 3 position for water adjustment, made in SS reference code:3517-02	Item Nr. SA02-0111	Specification 0.085kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3519-02
Item Nr. SA02-0112	Specification 0.085kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3510-02	Item Nr. SA02-0113	Specification 0.16kg,1/2"E xt, 3 position for water adjustment, made in SS reference code:3507- 02-00	Item Nr. SA02-0114	Specification 0.085kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3518-02	Item Nr. SA02-0115	Specification 0.055kg, 1/2"Ext, 3 position for water adjustment, made in SS reference code:3510-03	Item Nr. SA02-0116	Specification 3/8"Ext, 3 position for water adjustment, made in SS reference code:3513- 02-00	Item Nr. SA02-0117	Specification 0.035kg, 26106
Item Nr. 200-102-100-032	Specification Length: 8.5 cm Diameter: 2cm Weight: 0.105 kg	Item Nr. 200-102-100-033	Specification Length: 10 cm Diameter: 2cm Weight: 0.135 kg	Item Nr. 200-102-100-034	Specification Length: 11.5 cm Diameter: 2cm Weight: 0.145 kg	Item Nr. 200-102-100-035	Specification Length: 8.5 cm Diameter: 2cm Weight: 0.135 kg	Item Nr. 200-102-100-036	Specification Length: 10 cm Diameter: 2cm Weight: 0.16 kg	Item Nr. 200-102-100-037	Specification Length: 11.5 cm Diameter: 2cm Weight: 0.175 kg
Item Nr. 200-102-100-070	Specification Stainless steel, 1/2"	Item Nr. 200-102-100-039	Specification Drinking valve	Item Nr. 200-102-100-040	Specification Drinking valve	Item Nr. 200-102-100-041	Specification Plastic, 15.3*15.3*11 cm	Item Nr. 200-102-100-042	Specification Plastic and stainless steel, 5.8*1.8*3 cm	Item Nr. 200-102-100-043	Specification Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-044



Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-045



Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-046



Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-047



Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-048



Plastic and stainless steel, 6.8*3.6*4 cm

Item Nr. Specification
200-102-100-049



Plastic and stainless steel, 5.8*1.8*3 cm

Item Nr. Specification
200-102-100-050



Stainless steel, ball type 3/4"

Item Nr. Specification
200-102-100-051



Stainless steel, ball type 3/4"

Item Nr. Specification
200-102-100-052



Stainless steel, ball type 1/2"

Item Nr. Specification
200-102-100-053



Brass nipple, 1/2"

Item Nr. Specification
200-102-100-054



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-055



Female brass nipple, 1/2"

Item Nr. Specification
200-102-100-056



Brass nipple, 1/2"

Item Nr. Specification
200-102-100-057



Stainless steel, rabbit nipple 1/4"

Item Nr. Specification
200-102-100-058



Female brass nipple, 1/2"

Item Nr. Specification
200-102-100-059



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-060



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-061



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-062



Brass nipple, 1/2"

Item Nr. Specification
200-102-100-063



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-064



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-065



Stainless steel, 1/2"

Item Nr. Specification
200-102-100-066



Brass nipple, 1/2"

Item Nr. Specification
200-102-100-067



Stainless steel, 1/2"

Item Nr.
200-102-100-068

Specification



**Brass nipple,
1/2"**

Item Nr.
200-102-100-069

Specification



**Stainless
steel, 1/2"**

Item Nr.
200-102-100-071

Specification



**Fully
adjustable
float angle
Stop
Durchfluss bei
disassembly
for
maintenance**

Animal Husbandry – Insulator and Gate handle

Item Nr. 200-106-100-001	Specification Round, compact, black screw 5.3mm with nut	Item Nr. 200-106-100-002	Specification Diamond figure, cut thread, screw 5.3mm	Item Nr. 200-106-100-003	Specification Round, Jumbo Version Strip safety screw 6mm	Item Nr. 200-106-100-004	Specification Insulator	Item Nr. 200-106-100-005	Specification screw 6mm, with clamps	Item Nr. 200-106-100-006	Specification Nail insulator black
Item Nr. 200-106-100-007	Specification Reinforced, screw 7mm, cutting thread	Item Nr. 200-106-100-008	Specification Ring insulator for all oval and round steel posts	Item Nr. 200-106-100-009	Specification For hanging gate handles, with hooks (one open) Screw 6mm	Item Nr. 200-106-100-010	Specification For hanging gate handles, with hooks as well as eyes Screw 6mm	Item Nr. 200-106-100-011	Specification Insulator	Item Nr. 200-106-100-012	Specification Insulator
Item Nr. 200-106-100-013	Specification Insulator	Item Nr. 200-106-100-014	Specification Insulator	Item Nr. 200-106-100-015	Specification Insulator	Item Nr. 200-106-100-016	Specification Insulator	Item Nr. 200-106-100-017	Specification Insulator	Item Nr. 200-106-100-018	Specification Insulator
Item Nr. 200-106-100-019	Specification Insulator	Item Nr. 200-106-100-020	Specification Insulator	Item Nr. 200-106-100-021	Specification Insulator	Item Nr. 200-106-100-022	Specification Insulator	Item Nr. 200-106-100-023	Specification Insulator	Item Nr. 200-106-100-024	Specification Insulator
Item Nr. 200-106-100-026	Specification Insulator	Item Nr. 200-106-100-027	Specification Insulator	Item Nr. 200-106-100-031	Specification Long-distance double ringinsulator iron post with 2 nuts. L=220 mm	Item Nr. 200-106-100-032	Specification Universal	Item Nr. 200-106-100-033	Specification Wire handle	Item Nr. 200-106-100-034	Specification Long stem 200mm

Item Nr. Specification
200-106-100-035



Screw In Aid
for Ring
Insulators

Item Nr. Specification
200-106-100-036



Wire
handle/20MM

Item Nr. Specification
200-106-100-037



Wire
handle/40MM

Item Nr. Specification
200-106-101-001



Large
size, with
hook and
tension
spring

Item Nr. Specification
200-106-101-002



Large
size, with
hook and
tension
spring

Item Nr. Specification
200-106-101-003



Large
size, with
hook and
tension
spring

Item Nr. Specification
200-106-101-004



Insulator
handle

Item Nr. Specification
200-106-101-005



Insulator
handle

Item Nr. Specification
200-106-101-006



Insulator
handle

Item Nr. Specification
200-106-101-007



Insulator
handle

Item Nr. Specification
200-106-101-008



Insulator
handle

Item Nr. Specification
200-106-101-009



Insulator
handle

Item Nr. Specification
200-106-101-010



Insulator
handle

Item Nr. Specification
200-106-101-011



Insulator
handle

Item Nr. Specification
200-106-101-012



Insulator
handle

Item Nr. Specification
200-106-101-013



Insulator
handle

Item Nr. Specification
200-106-101-014



Insulator
handle

Item Nr. Specification
200-106-101-015















Insulator
handle

Item Nr. Specification
200-106-101-016





Insulator
handle


Animal Husbandry – Fence cord


<p>Item Nr. LM-101</p>  <p>Specification Fence cable PE Electric Fence Polyrope 6.5mm Diameter, White, 6pcs 0.3mm Diameter Stainless steel 126pcs 0.35mm Diameter Filaments 200M/Roll</p>	<p>Item Nr. LM-102</p>  <p>Specification Fence cable PE Electric Fence Polyrope 10.0mm Width, White, 4pcs 0.15mm Stainless steel 200M/Roll</p>	<p>Item Nr. LM-103</p>  <p>Specification Fence cable PE Electric Fence Polyrope 2.0mm Diameter, Red-Yellow, 3pcs 0.15mm Diameter Stainless steel 20pcs 0.28mm Diameter Filaments 200M/Roll</p>	<p>Item Nr. SA-HT-02-3STR 3X0.15mm SS</p>  <p>Specification Poly wire Diameter:2mm Length:200m,250m,400m,500m Package:reel, carton Specifications:3 strands,3 x stainless steel 0.15mm wire Environment: Outdoor, all-weather farm use -15 to +60 °C UV Resistant, minimum 2 years 200M/Roll</p>
<p>Item Nr. SA-HT-02-3STR 4X0.2mm SS</p>  <p>Specification Diameter:2mm Length;200m,250m,400m,500m Package:reel, carton 3 strands,4 x stainless steel 0.2mm wire Environment: Outdoor, all-weather farm use -15 to +60 °C UV Resistant, minimum 2 years 200M/Roll</p>	<p>Item Nr. SA-HT-025-3STR 4X0.2mm SS</p>  <p>Specification Diameter:2.5mm Length;200m,250m,400m,500m Package:reel, carton 3 strands 4x stainless steel 0.2mm wire Environment: Outdoor, all-weather farm use -15 to +60 °C UV Resistant, minimum 2 years 200M/Roll</p>	<p>Item Nr. SA-HT-03-3STR 3X0.25mm SS</p>  <p>Specification Diameter:3mm Length;200m,250m,400m,500m Package:reel, carton 3 strands 3 x stainless steel 0.25mm wire Environment: Outdoor, all-weather farm use -15 to +60 °C UV Resistant, minimum 2 years 200M/Roll</p>	<p>Item Nr. SA-HT-023-3STR 9X0.15mm SS</p>  <p>Specification Diameter:2.3mm Length;200m,250m,400m,500m Package:reel, carton 3 strands 9 x stainless steel 0.15mm wire Environment: Outdoor, all-weather farm use -15 to +60 °C UV Resistant, minimum 2 years 200M/Roll</p>
<p>Item Nr. 200-106-102-004</p>  <p>Specification Electric Fence Ribbon Stainless Steel 10-4Xf0.16 Approx. 200m/roll</p>	<p>Item Nr. 200-106-102-005</p>  <p>Specification Electric Fence Ribbon Stainless Steel 20-4Xf0.2+2Xf0.3 Approx. 200m/roll</p>	<p>Item Nr. 200-106-102-006</p>  <p>Specification Electric Fence Ribbon Stainless Steel 40-9Xf0.2+4Xf0.3 Approx. 200m/roll</p>	<p>Item Nr. 200-106-102-007</p>  <p>Specification Electric Fence Rope Stainless Steel f5-6Xf0.2 Approx. 200m/roll</p>


Item Nr. Specification
200-106-102-008
 Electric Fence Rope
Stainless Steel
f6-6Xf0.2
Approx. 200m/roll


Item Nr. Specification
200-106-102-009
 Electric tape,200m/51mm,14x
0.3mm 304 stainless steel,
UV resistant inside


Item Nr. Specification
200-106-102-010
 Electric tape,250m/10mm,4x
0.16mm 304 stainless steel,
UV resistant inside


Item Nr. Specification
200-106-102-011
 Electric tape,200m/10mm,4x
0.3mm 304 stainless steel,
UV resistant inside

Item Nr. Specification
200-106-102-012
 Electric tape,200m/20mm,7x
0.2mm 304 stainless steel,
UV resistant inside

Item Nr. Specification
200-106-102-013
 Electric tape,200m/20mm,4x
0.16 mm 304 stainless steel,
UV resistant inside


Item Nr. Specification
200-106-102-014
 Electric tape,200m/10mm,4x
0.16 mm 304 stainless steel,
UV resistant inside

Item Nr. Specification
200-106-102-015
 Poly tape,200m/13mm,6x
0.2mm 304 stainless steel,
UV resistant inside


Item Nr. Specification
200-106-102-016
 Polytape,200m/13mm,5x
0.3mm 304 stainless steel,
UV resistant inside


Item Nr. Specification
200-106-102-017
 Electric tape,200m/20mm,4x
0.20mm + 2x0.3mm 304
stainless steel, UV resistant
inside


Item Nr. Specification
200-106-102-018
 Electric tape,200m/40mm,9 x
0.20mm +4x0.30mm 304
stainless steel, UV resistant
inside


Item Nr. Specification
200-106-102-019
 Electric twine,6 x 0.2mm 304
stainless steel, UV resistant
inside


Item Nr. Specification
200-106-102-020
 Electric twine,9 x 0.2mm 304
stainless steel, UV resistant
inside


Item Nr. Specification
200-106-102-021
 Electric polywire,3 x 0.16mm
304 stainless steel, 250m, UV
resistant inside


Item Nr. Specification
200-106-102-022
 Electric twine,6 x 0.16mm 304
stainless steel, UV resistant
inside


Item Nr. Specification
200-106-102-023
 Electric polywire,3 x 0.2mm
304 stainless steel, 250m, UV
resistant inside


Item Nr. Specification
200-106-102-024
 Electric polywire,6xΦ0.16mm
304 stainless steel, 250m, UV
resistant inside


Item Nr. Specification
200-106-102-025
 Electric rope,6xΦ0.3mm 304
stainless steel,200m, UV
resistant inside


Item Nr. Specification
200-106-102-026
 Electric rope,200m/Φ
6mm,6x0.2mm 304 stainless
steel, UV resistant inside


Item Nr. Specification
200-106-102-027
 Polyester braided rope 200m
or 400m/Φ6mm,8x0.4mm 304
stainless steel


Item Nr. Specification
200-106-102-028
 PE braided rope 200m Φ 4mm,4x0.2mm 304 stainless steel,UV resistant inside


Item Nr. Specification
200-106-102-029
 PE yarn ,UV resistant inside


Item Nr. Specification
200-106-102-030
 Polytape


Item Nr. Specification
200-106-102-031
 Polytape


Item Nr. Specification
200-106-102-032
 Polytape


Item Nr. Specification
200-106-102-033
 Polytape


Item Nr. Specification
200-106-102-034
 Polytape


Item Nr. Specification
200-106-102-035
 Polytape


Item Nr. Specification
200-106-102-036
 Polytape


Item Nr. Specification
200-106-102-037
 Polytape


Item Nr. Specification
200-106-102-038
 Polytape


Item Nr. Specification
200-106-102-039
 Polytape


Item Nr. Specification
200-106-102-040
 Polytape


Item Nr. Specification
200-106-102-041
 Polytape


Item Nr. Specification
200-106-102-042
 Polytape

Item Nr. Specification
200-106-102-043
 Polytape

Item Nr. Specification
200-106-102-045
 Polytape

Item Nr. Specification
200-106-102-046
 Polytape

Item Nr. Specification
200-106-102-047
 Polywire

Item Nr. Specification
200-106-102-048
 Polywire

Item Nr. 200-106-102-050

Specification
W-SAT-030-3STR 3X0.25mm SS
 Item:polywire
 Diameter:3.0mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 3 x stainless steel 0.25mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-051

Specification
W-SAT-025-4STR 6X0.20mm SS
 Item:polywire
 Diameter:2.5mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 6 x stainless steel 0.20mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C



Item Nr. 200-106-102-052

Specification
W-SAT-025-3STR 6X0.20mm SS
 Item:polywire
 Diameter:2.5mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 6 x stainless steel 0.20mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C



Item Nr. 200-106-102-053

Specification
W-SAT-030-3STR 6X0.25mm SS
 Item:polywire
 Diameter:3.0mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 6 x stainless steel 0.25mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-054

Specification
W-SAT-020-4STR 4X0.20mm SS
 Item:polywire
 Diameter:2.0mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 4 strands 4 x stainless steel 0.20mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years




Item Nr. 200-106-102-055

Specification
W-SAT-020-3STR 6X0.20mm SS
 Item:polywire
 Diameter:2.0mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 6 x stainless steel 0.20mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-056

Specification
W-SAT-025-3STR 6X0.15mm SS
 Item:polywire
 Diameter:2.5mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 6 x stainless steel 0.15mm wire
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-057

Specification
W-SAT-02-3STR3X0.15mm SS
 Item:polywire
 Diameter:2mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands,3 x stainless steel 0.15mm wire(type304)
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-058

Specification
 W-SAT-03-3STR 9X0.2mm SS
 Item:polywire
 Diameter:3mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 9 x stainless steel
 0.2mm wire(type304)
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-059

Specification
 W-SAT-03-3STR 9X0.15mm SS
 Item:polywire
 Diameter:2.3mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 9 x stainless steel
 0.15mm wire(type304)
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-060

Specification
 W-SAT-030-3STR 3X0.25mm SS
 Item:polywire
 Diameter:3.0mm
 Length;200m,250m,400m,500 m
 Package:reel,carton
 3 strands 3 x stainless steel
 0.25mm wire(type304)
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-061

Specification
 Polyrope
 1000m/roll



Item Nr. 200-106-102-062

Specification



Polyrope

Item Nr. 200-106-102-063

Specification



Polyrope

Item Nr. 200-106-102-064

Specification



Polyrope

Item Nr. 200-106-102-065

Specification



Polyrope

Item Nr. 200-106-102-066

Specification



Polyrope

Item Nr. 200-106-102-067

Specification



Polyrope

Item Nr. 200-106-102-068

Specification
 R-SAT-08-3 STR 9X0.2mm SS
 Item:polyrope
 Diameter:8mm
 Length:200m-500m
 Package:reel,carton
 3 strands 9 x stainless steel
 0.2mm wire(type304)
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Name 200-106-102-069

Specification
 R-SAT-06-3 STR 8X0.3mm SS
 Item:Braided Polyrope
 Diameter:6mm
 Length:200m-500m
 Package:reel,carton
 3 strands 8 x stainless steel
 0.3mm wire(type304).
 Environment: Outdoor, all-weather farm use -°C15 to +60 °C
 UV Resistant, minimum 2 years



Item Nr. 200-106-102-070

Specification
 R-SAT-06-3 STR 6X0.2mm SS
 Item:splitfilm polyrope
 Diameter:6mm
 Length:200m-500m
 Package:reel,carton
 3 strands 6 x stainless steel
 0.2mm wire(type304)
 Environment: Outdoor, all-
 weather farm use -°C15 to
 +60 °C
 UV Resistant, minimum 2
 years



Item Nr. 200-106-102-071

Specification
 R-SAT-06-3 STR 6X0.2mm SS
 Item:polyrope
 Diameter:6mm
 Length:200m-500m
 Package:reel,carton
 3 strands 6 x stainless steel
 0.2mm wire(type304)
 Environment: Outdoor, all-
 weather farm use -°C15 to
 +60 °C
 UV Resistant, minimum 2
 years



Item Nr. 200-106-102-072

Specification
 R-SAT-06-3 STR 6X0.3mm SS
 Item:polyrope
 Diameter:6mm
 Length:200m-500m
 Package:reel,carton
 3 strands 6 x stainless steel
 0.3mm wire(type304)
 Environment: Outdoor, all-
 weather farm use -°C15 to
 +60 °C
 UV Resistant, minimum 2
 years



Item Nr. 200-106-102-073

Specification
 R-SAT-05-3 STR3X0.35mm SS
 Item:polyrope
 Diameter:5mm
 Length:200m-500m
 Package:reel,carton
 3 strands 3 x stainless steel
 0.35mm wire(type304)
 Environment: Outdoor, all-
 weather farm use -°C15 to
 +60 °C
 UV Resistant, minimum 2
 years



Animal Husbandry – Fence wire

Item Nr. 200-106-104-001

Specification
 Fence wire
 Electric-Fence Wire
 Galvanised
 Strengthenance 400-500
 Nw/mm² 200m/roll



Item Nr. 200-106-104-002

Specification
 Fence wire
 Electric Fence Wire
 Galvanized Steel
 f1.5-7Xf0.5
 Approx. 200m/roll



Item Nr. 200-106-104-003

Specification
 Electric Fence Wire
 Galvanised
 Strengthenance 400-500
 Nw/mm²
 Wire nr.13 galvan. 2.4
 mm,25kg
 Unit:Each
 Material:steel, galvanized
 Diameter (mm) :2,4
 Length (m): 750
 Nr. :13
 Weight (kg/1000m):35,8
 Weight / Reel (kg): 25



Item Nr. 200-106-104-004

Specification
 Electric-Fence Wire
 Galvanised
 Strengthenance 400-500
 Nw/mm²
 Wire nr.13
 galva.2.4mm,5x5kg
 Unit :Each
 Material:steel, galvanized
 Diameter (mm):2,4
 Length (m):750; Nr.:13
 Weight (kg/1000m):35,8
 Weight / Reel (kg):25 kg / 5 x
 5



Item Nr. **Specification**
200-106-104-005 **Electric-Fence Wire**
 Strengthenance 400-500
 Nw/mm²
 Wire nr.14 galvanised
 2mm,25kg
 Unit :Each
 Material:steel, galvanized
 Diameter (mm):2,0
 Length (m):1000; Nr.:14
 Weight (kg/1000m):27,2
 Weight / Reel (kg):25



Item Nr. **Specification**
200-106-104-006 **Electric-Fence Wire**
 Strengthenance 400-500
 Nw/mm²
 Wire nr.14 galvanised 2mm,5
 x 5 kg
 Unit :Each
 Material:steel, galvanized
 Diameter (mm):2,0
 Length (m):1000; Nr.:14
 Weight (kg/1000m):27,2
 Weight / Reel (kg):25kg / 5 x 5



Item Nr. **Specification**
200-106-104-007 **Electric-Fence Wire**
 Strengthenance 400-500
 Nw/mm²
 Wire nr.18 galvanised
 1.2mm,5x5kg
 Unit :Each
 Material:steel, galvanized
 Diameter (mm):1,2
 Length (m):2600; Nr.:18
 Weight (kg/1000m):9,6
 Weight / Reel (kg):25































Item Nr. **Specification**
200-106-104-009 **Fence wire**



Animal Husbandry – Pig stall

Item Nr. 200-109-100-001	Specification Different dimensions	Item Nr. 200-109-100-002	Specification Different dimensions	Item Nr. 200-109-100-003	Specification Different dimensions	Item Nr. 200-109-100-004	Specification Different dimensions	Item Nr. 200-109-100-005	Specification Different dimensions	Item Nr. 200-109-100-006	Specification Different dimensions
Item Nr. 200-109-100-007	Specification Different dimensions	Item Nr. 200-109-100-008	Specification Different dimensions	Item Nr. 200-109-100-009	Specification Different dimensions	Item Nr. 200-109-100-010	Specification Different dimensions	Item Nr. 200-109-100-011	Specification Different dimensions	Item Nr. 200-109-100-012	Specification Different dimensions
Item Nr. 200-109-100-013	Specification Different dimensions	Item Nr. 200-109-100-014	Specification Different dimensions	Item Nr. 200-109-100-015	Specification Different dimensions	Item Nr. 200-109-100-016	Specification Different dimensions	Item Nr. 200-109-100-017	Specification Different dimensions	Item Nr. 200-109-100-018	Specification Different dimensions

Animal Husbandry – Floor

<p>Item Nr. 200-109-101-001</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-002</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-003</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-004</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-005</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-006</p>  <p>Casted floor with different sizes.</p>
<p>Item Nr. 200-109-101-007</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-008</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-101-009</p>  <p>Casted floor with different sizes.</p>	<p>Item Nr. 200-109-102-001</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-002</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-003</p>  <p>Plastic floor with different sizes.</p>
<p>Item Nr. 200-109-102-004</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-005</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-006</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-007</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-008</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-009</p>  <p>Plastic floor with different sizes.</p>
<p>Item Nr. 200-109-102-010</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-011</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-012</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-013</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-014</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-015</p>  <p>Plastic floor with different sizes.</p>
<p>Item Nr. 200-109-102-016</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-017</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-018</p>  <p>Plastic floor with different sizes.</p>	<p>Item Nr. 200-109-102-019</p>  <p>Plastic floor with different sizes.</p>		

Animal Husbandry – Fence tools and accessories

Item Nr. Specification
 200-106-105-001

 Cuts Thread Till 5 mm
 Ideal Fencing Tool
 Also For Hammeruse

Item Nr. Specification
 200-106-105-002

 WIRE STRAINER
 GALVAN. 100MM

Item Nr. Specification
 200-106-105-003


 Practical On/Off And
 Changeover Switch For
 Your Fence System
 Ideal Also For Mains
 Operated Fence Lines
 Switches Two Separate
 Fence Systems

Item Nr. Specification
 200-106-105-004

 Protects Your Energizer
 From Lightning Damage


Item Nr. Specification
 200-106-105-005

 Post hammer round with
 ovale handle

Item Nr. Specification
 200-106-105-006

 Paalhamer
 kunststof+steel 5kg


Item Nr. Specification
 200-106-105-007


 Fence tools and
 accessories

Item Nr. Specification
 200-106-105-008

 Tightens/Loosens
 Rapidly Wires, Ropes,
 Polywires Without
 Cutting Them In Two

Item Nr. Specification
 200-106-105-009


 Sturdy Model For Steel
 Wire
 Eases The Strain On Wire
 And Corner Posts
 Balances Temperature
 Changes In Winter
 Makes Fences Flexible

Item Nr. Specification
 200-106-105-010

 Wire Insulator

Item Nr. Specification
 200-106-105-011

 Recommended as corner
 insulator
 Resisted against very
 high tensions

Item Nr. Specification
 200-106-105-012

 Professional Corner
 Insulator Made Of
 Porcelain
 - High-Quality
 - Resists Maximum
 Strains
 - 50 mm Total Diameter

Item Nr. Specification
 200-106-105-013

 For Drills And Cordless
 Screwdrivers
 Galvanized
 Screw-in aid For ring-
 insulator

Item Nr. Specification
 200-106-105-014

 For Drills And Cordless
 Screwdrivers
 Galvanized
 Screw-in aid For ring-
 insulator

Item Nr. Specification
 200-106-105-015

 5 x 40 mm cink plated
 Chipb. Screw Pan Head
 5.0X40

Item Nr. Specification
 200-106-105-016

 - 4 x 40 mm
 - Galvanised
 Nail 4.0x40 verz.pak 1 kg

Item Nr. Specification
 200-106-105-017

 For Fixing Wire Fencing
 To Post
 For Use On Permanent
 Fences
 For Proffesional Use

Animal Husbandry – Ground cables

Item Nr. Specification
200-106-107-001



Connects Energizer And
Fence Line

Item Nr. Specification
200-106-107-002



110 cm Long Made Of
Galvanized T-Shaped Steel
With Screw For Earth
Connecting Cable

Item Nr. Specification
200-106-107-003



Ground-rod for battery
energizers

Item Nr. Specification
200-106-107-004



Cast Resin Connection Kit

Item Nr. Specification
200-106-107-005



Connects Energizer And
Fence Line
Tinned Copper Wires Of 1.6
mm Diameter
Disruptive Strength Up To
20000 Volts

Item Nr. Specification
200-106-107-006



Connects Energizer And
Fence Line

Item Nr. Specification
200-106-107-007



Insulated with eyes M8
- connects fencer and
ground rod
- excellent connection
between indoor energizer to
ground rod outside
- also suitable for
connecting several ground
rods

Item Nr. Specification
200-106-107-008



Connects fencer and
ground rod
Excellent connection
between indoor energizer to
ground rod outside
Also suitable for
connecting several ground
rods
Earth cable w.2 eye
connectors

Item Nr. Specification
200-106-107-009




Ground Connection Cable
1m

Item Nr. Specification
200-106-107-010



Euro-Guard connection
w.clamp

Item Nr. Specification
200-106-107-011




Fence Connection Cable
60cm

Item Nr. Specification
200-106-107-012



Stainless Steel Connection
Lead For Tapes
- Ideal Mechanical And
Electrical Connection
Between Energizer And
Tape Up To A Width Of 40
mm
- 130 cm Lead
- M8 Eye
Engzer-to-Tape con.130cm
long

Item Nr. Specification
200-106-107-013



Stainless Steel Connector
For Tapes
- Ideal Mechanical And
Electrical Connection
Between Two Fencing
Tapes
- 80 cm Lead
Tape-to-Tape con. 80cm
long

Item Nr. Specification
200-106-107-014



Ideal Mechanical And
Electrical Connection
Between Energizer And
Fencing Rope
-150 cm Lead
- M8 Eye
Rope connector + 150cm
lead

Item Nr. Specification
200-106-107-015



Ideal Mechanical And
Electrical Connection
Between Two Fencing
Ropes
- 80 cm Lead
Rope-to-rope conn. 80cm
lead

Animal Husbandry – Ground locker

Item Nr. Specification

200-106-108-001



Ground locker

Animal Husbandry – Ground strap

Item Nr. Specification

200-106-109-001



Ground strap

Animal Husbandry – Fence post

Item Nr. 200-106-110-001

Specification length 156CM



Item Nr. 200-106-110-002

Specification length 122.8CM



Item Nr. 200-106-110-003

Specification "T" Style



Item Nr. 200-106-110-004

Specification "J" Style



Item Nr. 200-106-110-005

Specification "D" Style




Item Nr. 200-106-110-005

Specification "D" Style




Animal Husbandry – Heat lamp


Item Nr.	Specification
SA300/14G-EU	2.5m cable, CE, English label




Item Nr.	Specification
SA300S/14G-EU	2.5m cable, CE, English label, 3-Way switch




Item Nr.	Specification
SA500/14G-EU	2.5m cable, CE, English label




Item Nr.	Specification
SA500S/14G-EU	2.5m cable, CE, English label, 3-Way switch



Item Nr.	Specification
200-112-100-002	Heat lamp




Item Nr.	Specification
200-112-100-003	Heat lamp



Animal Husbandry – Syringe

Item Nr.	Specification
200-107-100-001	2.5ml, for injection of cow against tuberculosis



Item Nr.	Specification
200-107-100-002	10ml, injection for quarantine and animal treatment




Item Nr.	Specification
200-107-100-003	10ml, 20ml, 20mlB, 30ml, 50ml, 50mlB. injection for quarantine and animal treatment



Item Nr.	Specification
200-107-100-004	Metallic syringe Injection for quarantine and animal treatment



Item Nr.	Specification
200-107-100-005	50ml, injection for quarantine and animal treatment



Item Nr.	Specification
200-107-100-006	50ml B, injection for quarantine and animal treatment



Item Nr.	Specification
200-107-100-007	30ml, injection for quarantine and animal treatment



Item Nr.	Specification
200-107-100-008	2ml, continuous and adjustable, precise dosage control nice feel of grip, easily cooperating suitable for small-dosage injection for cubs and poultry



Item Nr. Specification
200-107-100-011



Metallic syring

Item Nr. Specification
200-107-100-012



Metallic syringe

Item Nr. Specification
200-107-100-013



Metallic syringe

Item Nr. Specification
200-107-100-015



Metallic syringe

Item Nr. Specification
200-107-100-016



Metallic syringe

Item Nr. Specification
200-107-100-017



Metallic syringe

Item Nr. Specification
200-107-100-018



Metallic syringe

Item Nr. Specification
200-107-100-019




Metallic syringe

Item Nr. Specification
200-107-100-020



Metallic syringe

Item Nr. Specification
200-107-100-021



Metallic syringe

Item Nr. Specification
200-107-100-022



Metallic syringe

Item Nr. Specification
200-107-101-001



Plastical syringe
20ml -50ml-100ml
light weight,high
strength, convenient
operation
injection for quarantine
and animal treatment

Item Nr. Specification
200-107-101-002



Plastical syringe
100ml
light weight,high
strength, convenient
operation
injection for quarantine
and animal treatment

Item Nr. Specification
200-107-101-003



Plastical syringe
Light weight,high
strength, convenient
operation
Injection for quarantine
and animal treatment

Item Nr. Specification
200-107-101-004



Plastical syringe
Light weight,high
strength, convenient
operation
Injection for quarantine
and animal treatment

Item Nr. Specification
200-107-101-005



Plastical syringe
50ml, light weight,high
strength, convenient
operation
injection for quarantine
and animal treatment

Item Nr.
200-107-101-006



Specification
Plastical syring
2ml,continuous and adjustable, precise dosage control
nice feel of grip, easily cooperating
suitable for small-dosage injection for cubs and poultry

Item Nr.
200-107-101-007



Specification
Disposable syringe without needle,
3-part, sterile, individual poly pack with different sizes
Package:PE
Sterilization:By EO gas
price not include print own brand or logo

Item Nr.
200-107-102-001



Specification
Injection needles
For different injection syringes

Item Nr.
200-107-102-002



Specification
Injection needles

Animal Husbandry – Teat

Item Nr. Specification
200-114-100-001



Rubber teat

Item Nr. Specification
200-114-100-002



Rubber teat

Item Nr. Specification
200-114-100-003



Rubber teat

Item Nr. Specification
200-114-100-004



Rubber teat

Item Nr. Specification
200-114-100-005



Rubber teat

Item Nr. Specification
200-114-100-006



Teat

Item Nr. Specification
200-114-100-007



T-clamp with different sizes

Animal Husbandry – Kitchen scale

Item Nr. Specification

200-116-105-001 5-10kg
Single product weight : 0.95kg
Size of outer carton:56*47*39CM
package quantity: 24
G.W:24kg



Item Nr. Specification

200-116-105-002 1kg-5kg
Single product weight: 0.6kg
Size of outer carton:56*47*37CM
package quantity:24
G.W:14kg



Item Nr. Specification

200-116-105-003 1-3kg
Single product weight: 0.6kg
Size of outer carton:65*45*38CM
package quantity:24
G.W:15kg



Item Nr. Specification

200-116-105-004 1-5kg
Single product weight: 0.6kg
Size of outer carton:57*40.5*51CM
package quantity:24
G.W:19.5kg



Item Nr. Specification

200-116-105-005 1-5kg
Single product weight: 0.6kg
Size of outer carton:57*40.5*51CM
package quantity:24
G.W:19.5kg



Item Nr. Specification

200-116-105-006 1-5kg
Single product weight: 0.6kg
Size of outer carton:57*40.5*51CM
package quantity:24
G.W:19.5kg



Item Nr. Specification

200-116-105-007 0.5-1kg
Single product weight: 0.24kg
Size of outer carton:60.8*45*34CM
package quantity:40
G.W:10.5kg



Item Nr. Specification

200-116-105-008 0.5-1kg
Single product weight: 0.24kg
Size of outer carton:60.8*45*34CM
package quantity:40
G.W:10.5kg




Item Nr. Specification

200-116-105-009 0.5-1kg
Single product weight: 0.24kg
Size of outer carton:60.8*45*34CM
package quantity:40
G.W:10.5kg




Animal Husbandry – Hanging scale


Item Nr.	Specification
200-106-101-001	QUICK WEIGHT 25KG




Item Nr.	Specification
200-106-101-002	10kg-200kg Size of outer carton:45×26.5×43cm package quantity:10pc G.W:14kg N.W:13kg




Item Nr.	Specification
200-106-101-003	25kg-100kg Size of outer carton:35×43.5×43.5cm package quantity:20pc G.W:25kg N.W:24kg




Item Nr.	Specification
200-116-100-001	Max capacity: 10kg-50kg package quantity:60 Dimension(m m):260×470×250 G.W:13kg




Item Nr.	Specification
200-116-100-002	Max capacity:10kg-50kg package quantity:100 Dimension(m m):390×290×415 G.W:22kg




Item Nr.	Specification
200-116-100-003	Max capacity: 30kg



Item Nr.	Specification
200-106-101-004	25kg-100kg Size of outer carton:35×43.5×43.5cm package quantity:20pc G.W:25kg N.W:24kg



Item Nr.	Specification
200-106-101-005	50kg-10kg Size of outer carton:57×29.5×45cm package quantity:20pc G.W:20kg N.W:19kg



Item Nr.	Specification
200-106-101-006	5kg-8kg Size of outer carton:42×31.5×31cm package quantity:100pc G.W:13kg N.W:12kg




Item Nr.	Specification
200-116-100-004	Max capacity: 15kg Sensitivity: 5g package quantity:6 Dimension(m m):630×410×400 G.W:20kg



Item Nr.	Specification
200-116-100-005	Max capacity:3kg Sensitivity: 1g package quantity:6 Dimension(m m):630×410×400 G.W:20kg



Item Nr.	Specification
200-116-100-006	Max capacity: 15kg Sensitivity: 5g package quantity:4 Dimension(m m):710×480×450 G.W:25kg



Animal Husbandry – Hanging clasp scale

Item Nr.	Specification
200-116-102-001	11kg Size of outer carton:40×28×15.5cm package quantity: 96pc G.W:12.5kg N.W:11.5kg



Item Nr.	Specification
200-116-102-002	25kg Size of outer carton:40×28×15.5cm package quantity: 72pc G.W:13kg N.W:12kg



Item Nr.	Specification
200-116-102-003	50kg Size of outer carton:40×28×15.5cm package quantity: 36pc G.W:13kg N.W:12kg



Animal Husbandry – Table drug balance

Item Nr.	Specification
200-116-103-001	Modle: ZZT-10 Max capacity: 1000g Sensitivity: 1g Package quantity:6 Dimension(m m):560×370×410 G.W:18kg



Item Nr.	Specification
200-116-102-002	Max capacity: 1000g Sensitivity: 1g Package quantity:6 Dimension(m m):560×370×410 G.W:18kg



Item Nr.	Specification
200-116-102-003	Max capacity: 500g Sensitivity: 0.5g Package quantity:6 Dimension(m m):480×310×410 G.W:14kg



Item Nr.	Specification
200-116-102-004	100kg-150kg
	Size of outer carton:40×28×15.5cm
	package quantity:18pc
	G.W:12kg
	N.W:11kg

Animal Husbandry – Spring platform scale

Item Nr.	Specification
200-106-104-001	5-30kg
	Size of outer carton : 75×54×28cm
	package quantity:6
	G.W:16kg
	N.W:14kg

Item Nr.	Specification
200-106-104-002	5-30kg
	Size of outer carton : 75×54×28cm
	package quantity:6
	G.W:16kg
	N.W:14kg


Item Nr.	Specification
200-106-104-003	5-30kg
	Size of outer carton : 47×41×46cm
	package quantity:8
	G.W:14kg
	N.W:12kg


Item Nr.	Specification
200-106-104-004	50-60kg
	Size of outer carton : 68×55×30cm
	package quantity:4
	G.W:30kg
	N.W:28kg


Item Nr.	Specification
200-116-102-004	Max capacity:500g
	Sensitivity:0.5g
	Package quantity:6
	Dimension(m):480×340×410
	G.W:14kg

Animal Husbandry – Handle scale

Item Nr.	Specification
200-106-108-001	3kg
	Size of outer carton : 510×360×320
	package quantity:240pc
	G.W:16kg

Item Nr.	Specification
200-106-108-002	3kg
	Size of outer carton : 510×360×320
	package quantity:240pc
	G.W:16kg

Item Nr.	Specification
200-106-108-003	4kg
	Size of outer carton : 490×350×370
	package quantity:240pc
	G.W:17.5kg

Item Nr.	Specification
200-106-108-004	4kg
	Size of outer carton : 490×350×370
	package quantity:240pc
	G.W:17.5kg

Animal Husbandry – Health scale

Item Nr. 200-116-101-001
Specification 125kg
 Single product weight: 1.5kg
 Size of outer carton: 562*300*340
 package quantity: 10
 G.W: 16.5kg



Item Nr. 200-116-101-002
Specification 125kg
 Single product weight: 1.5kg
 Size of outer carton: 562*300*340
 package quantity: 10
 G.W: 16.5kg



Item Nr. 200-106-104-003
Specification 5-30kg
 Size of outer carton : 47*41*46cm
 package quantity: 8
 G.W: 14kg
 N.W: 12kg



Item Nr. 200-116-101-004
Specification 125kg
 Single product weight: 1.7kg
 Size of outer carton: 620*310*300
 package quantity: 10
 G.W: 18.5kg



Item Nr. 200-116-101-005
Specification 125kg
 Single product weight: 1.7kg
 Size of outer carton: 620*310*300
 package quantity: 10
 G.W: 18.5kg



Item Nr. 200-106-104-006
Specification 125kg
 Single product weight: 1.7kg
 Size of outer carton: 620*310*300
 package quantity: 10
 G.W: 18.5kg



Item Nr. 200-116-101-007
Specification 125kg
 Single product weight: 5kg
 Size of outer carton: 390*360*360
 package quantity: 3
 G.W: 16kg



Item Nr. 200-116-101-008
Specification 125kg
 Single product weight: 5kg
 Size of outer carton: 390*360*360
 package quantity: 3
 G.W: 16kg



Item Nr. 200-106-104-009
Specification 130kg
 Single product weight: 2.5kg
 Size of outer carton: 410*410*340
 package quantity: 5
 G.W: 13kg



Animal Husbandry – Fishing scale

Item Nr. 200-116-107-001
Specification 12kg
 Size of outer carton: 47*19.5*29cm
 package quantity: 200pc
 G.W: 11kg
 N.W: 10kg



Item Nr. 200-116-101-002
Specification 12kg
 Size of outer carton: 47*19.5*29cm
 package quantity: 200pc
 G.W: 11kg
 N.W: 10kg



Item Nr. 200-106-104-003
Specification 2.5kg-5kg
 Size of outer carton: 40*31*31.5cm
 package quantity: 400pc
 G.W: 25kg
 N.W: 24kg




Item Nr. 200-116-101-004
Specification 5kg-10kg
 Size of outer carton: 40*31*31.5cm
 package quantity: 200pc
 G.W: 20kg
 N.W: 18kg



Item Nr. 200-116-101-005
Specification 5kg-10kg
 Size of outer carton: 40*31*31.5cm
 package quantity: 200pc
 G.W: 22kg
 N.W: 20kg



Item Nr. 200-106-104-006
Specification 11kg-22kg
 Size of outer carton: 48*37*25cm
 package quantity: 100pc
 G.W: 20kg
 N.W: 18kg



Item Nr. 200-116-101-007
Specification 10kg
 Size of outer carton: 48*37*25cm
 package quantity: 100pc
 G.W: 17kg
 N.W: 16kg



Item Nr. 200-116-101-008
Specification 10kg-22kg
 Size of outer carton: 46.5*24.5*54cm
 package quantity: 100pc
 G.W: 19.5kg
 N.W: 18kg



Item Nr. 200-106-104-009
Specification 6kg
 Size of outer carton: 48*37*25cm
 package quantity: 400pc
 G.W: 17kg
 N.W: 160kg



Animal Husbandry – Buckets

Item Nr. Specification
200-118-100-001



Brush

Item Nr. Specification
200-118-100-002



Accessories

Item Nr. Specification
200-118-100-003



Bucket

Item Nr. Specification
200-118-100-004



Bucket

Item Nr. Specification
200-118-100-005



Accessories

Item Nr. Specification
200-118-100-006



Bucket

Item Nr. Specification
200-118-100-007



Bucket

Item Nr. Specification
200-118-100-008



Bucket

Item Nr. Specification
200-118-100-009



Bucket

Item Nr. Specification
200-118-100-010



Bucket

Item Nr. Specification
200-118-100-011



Bucket

Animal Husbandry – Hoof care products

Item Nr. Specification
200-119-100-001



Hoof care products

Item Nr. Specification
200-119-100-002



Hoof care products

Item Nr. Specification
200-119-100-003



Hoof care products

Item Nr. Specification
200-119-100-004



Hoof care products

Item Nr. Specification
200-119-100-005



Hoof care products

Item Nr. Specification
200-119-100-006




Hoof care products

Item Nr. Specification
200-119-100-007



Hoof care products

Item Nr. Specification
200-119-100-008



Hoof care products

Item Nr. Specification
200-119-100-009







Hoof care products

Item Nr. Specification
200-119-100-010









Hoof care products

Animal Husbandry - Ear-Mark Plier

Item Name	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification
Ear-Mark Plier		200-108-101-001		200-108-101-002		200-108-101-003		200-108-101-004		200-108-101-005	
	Powder coated Chrome		Tap pincer For fixing identifier tab		Tap pincer For fixing identifier tab		Tap pincer For fixing identifier tab		Tap pincer Without number with different sizes		Tap pincer For fixing identifier tab

Animal Husbandry - Tap

Item Nr.	Specification	Item Name	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Name	Specification	Item Name	Specification
200-108-100-001		Ear mark		200-108-100-003		200-108-100-004		Sorting panel		Long handle sorting paddle	
	Outsize cow identifier tab. size:10*7.5cm		With/without laser number with different sizes		Pig identifier tab. size:4.1*2.6cm		Sheep identifier tab. size:5.2*1.8m		94cm*76cm* 3.5cm net weight:4kg/p c gross weight:17kg / per 4 pcs a box		107.5cm*20cm*29cm net weight:11kg gross weight:13kg / per20 pcs a box

Animal Husbandry - Sorting

Animal Husbandry - Others

Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification	Item Nr.	Specification
200-105-100-001		200-104-102-001		200-115-100-001		200-104-101-001		200-104-101-002		200-113-100-001	
	Anti-kick made in stainless steel		Plactical salty block holder.		Electrical clipper,150W , 300W, 2 types. Weight:2kg		Square Feed Scoops		Green Nylon Feed Scoop 2kg		Plastic Dip cup, liquid squeezed up into the cup does not siphon back down.

Item Name **Specification**

Loop



**Powder coated
Chrome**

Item Nr. **Specification**

200-110-100-001



Retainer

Item Nr. **Specification**

200-116-101-007



**10kg-20kg
Size of outer
carton:68×55
×30cm
package
quantity:4pc
G.W:15.5kg
N.W:13.5kg**

Item Nr. **Specification**

200-117-100-001



**Counter
Made in
stainless**

Item Nr. **Specification**

200-117-100-002



**Counter
Made in
plastic**